

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
1	Tap (Various)	Lixil Africa (Pty) Ltd	Carina range	SANS 226	Comç	73/1	Carina range, Class 2 (Chrome)
2	Water meter (Rotary piston)	Elster Kent Metering (Pty) Ltd	PSM V100-T	SANS 1529	NRCS	444/1	15mm - 25mm brass
3	Water meter (Combination)	Elster Kent Metering (Pty) Ltd	C4000	SANS 1529	NRCS	445/1	50mm - 100mm
4	Water meter (Woltman)	Elster Kent Metering (Pty) Ltd	Helix 4000	SANS 1529	NRCS	447/1	40mm - 100mm
5	Water meter (Woltman)	Elster Kent Metering (Pty) Ltd	Helix WP4000	SANS 1529	NRCS	991/1	40mm - 100mm
6	Tap (Various)	Lixil Africa (Pty) Ltd	Star Light pattern range	SANS 226	Comç	1051/1	Stella Light pattern range, Class 2 (Chrome)
7	Water meter (Multi-jet)	Sensus	XNP	SANS 1529	NRCS	1097/1	15mm, 20mm plastic
8	Water meter (Woltman)	Sensus	WPD	SANS 1529	NRCS	1100/1	40mm - 100mm
9	Water meter (Multi-jet)	Itron	Multimag	SANS 1529	NRCS	1109/1	15mm - 50mm
10	Water meter (Rotary piston)	Elster Kent Metering (Pty) Ltd	KSM V110	SANS 1529	NRCS	1535/1	15mm - 25mm
11	Water meter (Concentric)	Elster Kent Metering (Pty) Ltd	Concentric V130	SANS 1529	NRCS	1536/1	15mm plastic
12	Water meter (Vert. spindle)	Itron	Woltman vertical	SANS 1529	NRCS	1538/1	50mm - 100mm
13	Water meter (Single jet)	Itron	Flostar	SANS 1529	NRCS	1539/1	40mm - 100mm
14	Water meter (Combination)	Itron	Isoflo	SANS 1529	NRCS	1540/1	50mm - 100mm
15	Water meter (Rotary piston)	Itron	P40	SANS 1529	NRCS	1541/1	15mm plastic
16	Water meter (Combination)	Sensus	Meitwin	SANS 1529	NRCS	1546/1	50mm - 100mm
17	Water meter (Woltman)	Sensus	Meistream	SANS 1529	NRCS	1547/1	40mm - 100mm
18	Water meter (Rotary piston)	Sensus	Sensus 220C	SANS 1529	NRCS	1593/1	15mm plastic
19	Prepayment/dispensing device	Utility Systems	WMD Water management Device	SANS 1529	NRCS	1595/1	15mm
20	Water meter (Hybrid)	Elster Kent Metering (Pty) Ltd	Elster Kent H5000	SANS 1529	NRCS	1599/1	40mm - 100mm
21	Water (Prepayment system)	Elster Kent Metering (Pty) Ltd	Elster Kent prepayment device	SANS 1529	NRCS	1600/1	15mm, 20mm
22	Fitting (Compression)(Plastic)	Thomson Bros Trading	Gold Medal Compression fitting	SANS 17885	Comç	1617/1	20mm - 63mm PN16
23	Valve (Ball)(Plastic)	Watertite Conservation Pty Ltd	Watertite ball valve	SANS 16135	Mark	1622/1	15mm full bore and 20mm reduced bore PP-R Plastic Industrial Ball Valves PN 16 (female threaded), complete with trickle flow and lockable functionality
24	Water meter (Rotary piston)	Amanzi Meters Pty Ltd	Amanzi SA plastic water meters	SANS 1529	NRCS	1623/1	15mm, 20mm
25	Tap (Various)	Lixil Africa (Pty) Ltd	Ledimo range	SANS 226	Comç	1643/1	Ledimo range, Class 2 (Chrome)
26	Water meter (Rotary piston)	Precision Meters	Precision Meters	SANS 1529	NRCS	1651/1	15mm - 20mm
27	Water meter (Rotary piston)	Precision Meters	Precision Meters	SANS 1529	NRCS	1652/1	15mm - 25mm
28	Water meter (Woltman)	Precision Meters	Precision meters	SANS 1529	NRCS	1653/1	50mm - 100mm
29	Water meter (Woltman)	Precision Meters	Precision Meters	SANS 1529	NRCS	1654/1	50mm - 100mm
30	Water meter (Multi-jet)	Precision Meters	Precision Meters	SANS 1529	NRCS	1655/1	40mm
31	Water meter (Woltman)	Precision Meters	Precision Meters	SANS 1529	NRCS	1656/1	40mm
32	Water (Prepayment system)	Lesira Manufacturing	SPM series	SANS 1529	NRCS	1658/1	15mm - 25mm
33	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Moon Tide range	SANS 1480	Comç	1661/1	Moon Tide range (Chrome & Black & SS)
34	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Spring tide range	SANS 1480	Comç	1662/1	Spring range (includes concealed bath, basin and sink mixer) (Chrome)
35	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Bore Tide range	SANS 1480	Comç	1663/1	Blutide Bore Tide range (Chrome)

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
36	Water (WDM system)	Aqua-Loc SA (Pty) Ltd	Aqua-Loc WDM system	SANS 1529	NRCS	1664/1	Class B 15mm / Class C 20mm meter
37	Water meter (Multi-jet)	Aqua-Loc SA (Pty) Ltd	Corona water meter (20mm)	SANS 1529	NRCS	1665/1	Aqua-Loc Corona meter (Class B 15mm / Class C 20mm)
38	Water meter (ultrasonic)	Aqua-Loc SA (Pty) Ltd	Hydrus 171A ultrasonic meter	NRCS SA 1500	NRCS	1666/1	Hydrus ultrasonic water meter 15/20mm dia.
39	Water meter (Rotary piston)	Hibred International cc	Hibred Volumetric HPRP	SANS 1529	NRCS	1673/1	Model HPRP (plastic, volumetric), 15mm - 25mm Class C, PN16
40	Pipe and Fitting (System)[ML]	Standard Hidraulica SA	STH Tectite /Jevco MLP system	SANS 21003	Comç	1675/1	STH Tectite/Jevco PE-Xc MLP system (HENCO Industries pipe, STH JEVCO SABS DZR brass compression fitting with TECTITE inserts) for hot and cold water installations inside buildings 15mm - 22mm, Class 2/10
41	Tap (Mixing)(Single lever)	Larson Industries	Blanco Mida sink mixer	SANS 1480	Comç	1711/1	Mida sink mixer (Chrome)
42	Fitting (Compression)(Plastic)	Astore Keymak	Unidelta compression fittings	SANS 17885	Comç	1720/1	Unidelta PP-B fittings: 16mm - 110mm PN16, for use with PE100 PN16 pipes
43	Tap (Metering)	International Tap Distributors	Idral metering tap	SANS 1808-9	Comç	1725/1	Idral basin and wall mount metering taps without temperature control (Chrome)
44	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Teal range	SANS 1480	Comç	1729/1	Teal range (Chrome)
45	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Dune range	SANS 1480	Comç	1730/1	Blutide Dune range (Chrome & Black)
46	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Shore C&B range	SANS 1480	Comç	1746/1	Shore range (Chrome & Black)
47	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Bay range	SANS 1480	Comç	1747/1	Bay range (Chrome)
48	Tap (Mixing)(Single lever)	International Tap Distributors	Tivoli Pella range	SANS 1480	Comç	1752/1	Pella range (Chrome)
49	Tap (Mixing)(Single lever)	International Tap Distributors	Tivoli Davinci range	SANS 1480	Comç	1753/1	Davinci range (Chrome)
50	Fitting (Compression)	Alprene Plastic Products	SAB Supreme EasyFit	SANS 17885	Mark	1760/1	16mm - 63mm PN16, 75mm - 110mm PN10
51	Tap (electronic)	International Tap Distributors	Idral electronic basin tap	SANS 1808-35	Comç	1777/1	Idral electronic basin tap (Chrome)
52	Valve (Flush)(Urinal)	International Tap Distributors	Idral urinal flush valve	SANS 1240	Comç	1778/1	15mm Idral push button urinal flush valve with SANS 1750 compliant servicing valve and telescopic connection (all within wall mounted box), DZR copper alloy fittings
53	Tap (Metering)	International Tap Distributors	Self-closing shower mixer	SANS 1808-9	Comç	1782/1	Idral self-closing shower mixer (Chrome)
54	Tap (Mixing)(Single lever)	Meissen	Onex range	SANS 1480	Mark	1784/1	Onex range (Chrome)
55	Tap (Mixing)(Single lever)	Sibo Trading	Meir Round range	SANS 1480	Comç	1788/1	Round range (Chrome, Matt black, Brushed Nickel, Champagne, Gunmetal, Bronze)
56	Connector (Flexible SS)	Sunridge Importers&Wholesalers	Bretten SS flexible connectors	SANS 1808-5	Comç	1789/1	SS braided connectors, PN15 1/2"F x 1/2"F (lengths 200, 350, 450, 600, 1000, 1500, 2000mm) 1/2"F x M10 (lengths 300, 500mm) 1/2"F x M15 (lengths 200, 350, 450, 1000mm) 3/4"F x 3/4"F (lengths 350, 500, 1000mm) 1/2"F x 1/2"F (length 350) (Black)
57	Fitting (Compression)	Sunridge Importers&Wholesalers	Flow-fit compression fittings	SANS 1067-1	Comç	1790/1	15mm - 54mm (Tee, elbow, straight coupler, plug) PN 16
58	Valve (Ball)	Sunridge Importers&Wholesalers	Bretten ball valves	SANS 1056-3	Comç	1791/1	Not fire safe, copper alloy ball valves (15mm - 32mm (CxC)), (F): PN20
59	Tap (Mixing)(Single lever)	Hansgrohe SA	Decor range	SANS 1480	Mark	1798/1	Decor range (excl sink mixers) (Chrome)
60	Tap (Mixing)(Single lever)	Hansgrohe SA	Logis range	SANS 1480	Mark	1799/1	Logis range (excluding sink mixers) (Chrome)
61	Tap (Mixing)(Single lever)	Hansgrohe SA	Metropol range	SANS 1480	Mark	1800/1	Metropol range (excluding sink mixers) (Chrome)
62	Tap (Mixing)(Single lever)	Hansgrohe SA	Metris range	SANS 1480	Mark	1801/1	Metris range (excluding sink mixers) (Chrome)
63	Fitting (Compression)(Plastic)	City Plastics Indust. Piping	Donsen compression fittings	SANS 17885	Mark	1808/1	20mm - 110mm PN16 (PP-R)
64	Tap (Mixing)(Single lever)	Larson Industries	Blanco Mila sink mixer	SANS 1480	Comç	1809/1	Mila sink mixer (Chrome)
65	Tap (Mixing)(Single lever)	Bathroom Bizarre	Didi IQ Eco mixers	SANS 1480	Comç	1810/1	Didi IQ Eco sink, concealed bath/shower, concealed bath/shower diverter mixers (Chrome)
66	Tap (Mixing)(Single lever)	Bathroom Bizarre	Didi IQ Plus range	SANS 1480	Comç	1811/1	Didi IQ Plus range (Chrome, Matt black)

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
67	Fitting (Compression)(Plastic)	Jenfit (Pty) Ltd	Jenfit compression fittings	SANS 17885	Mark	1812/1	For use with PE 100 pressure piping only, 20mm - 50mm PN16
68	Fitting (Compression)	Astore Keymak	Irritec Connecto Plus	SANS 17885	Mark	1822/1	Irritec Connecto Plus PP-B fittings: 16mm - 110mm (PN16), for PE 100 PN16 PE pipes
69	Tap (Mixing)(Single lever)	Hansgrohe SA	My Sport range	SANS 1480	Mark	1829/1	My Sport range (excluding sink mixers) (Chrome)
70	Tap (electronic)	International Tap Distributors	Ildral wall mounted spout	SANS 1808-35	Comç	1830/1	15mm electronic spout (Chrome)
71	Tap (Metallic)	Sunridge Importers&Wholesalers	Bretten garden taps	SANS 226/2	Comç	1831/1	15/20mm garden tap (M/Pat), 15/20mm garden tap (L/Pat), 15/22mm stop tap (CxC), 15/20mm stop tap
72	Pipe (PVC)(O)	Molecor SA (Pty) Ltd	TOM 500 oPVC Pipe system	SANS 16422	Comç	1834/1	TOM 500 PVC-O piping system 160mm - 630mm PN10; 630mm PN12; 110mm - 500mm PN12.5; 110mm - 630mm PN16; 110mm - 500mm PN20; 160mm, 355mm, 450mm PN25
73	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Lusso Roya range	SANS 1480	Mark	1840/1	Roya range (Chrome)
74	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Lusso Reno Range	SANS 1480	Comç	1843/1	Reno range (SS, black gold, gunmetal)
75	Tap (Various)	Vortex Sanitaryware (Pty)Ltd	Crimson Tide range	SANS 226	Mark	1846/1	Crimson Tide range (Chrome)
76	Tap (Mixing)(Single lever)	Plumbink (SA) Pty Ltd	Plumline Crux range	SANS 1480	Mark	1848/1	Plumline Crux range (Chrome)
77	Valve (Servicing)	International Tap Distributors	ITD servicing valves	SANS 1750	Comç	1850/1	15mm (Chrome & Bronze)
78	Tap (Mixing)(Single lever)	Meissen	Sterlyn range	SANS 1480	Mark	1851/1	Sterlyn range (Chrome and Double Black)
79	Repair Clamp (Stainless steel)	Cascade Sales and Distribution	Cascade SS repair clamps	SANS 1808-45	Comç	1852/1	SS repair clamps, 50mm – 200mm (PN16), 250mm – 300mm (PN12)
80	Fitting (Saddle)(Stainless)	Cascade Sales and Distribution	Cascade SS pipe saddles	SANS 1808-44	Comç	1853/1	O-ring type SS saddles, 1" takeoff, 50mm - 275mm, PN16
81	Tap (Mixing)(Single lever)	Brands 4 Africa	Erebus range	SANS 1480	Mark	1855/1	Erebus range (Chrome & Black)
82	Tap (Various)	Build It	Built It Ideal range	SANS 226	Mark	1856/1	Ideal range (Chrome)
83	Repair Clamp (Stainless steel)	Klinger (Pty) Ltd	Ultra SS repair clamp	SANS 1808-45	Comç	1858/1	Ultra SS repair clamps, 50mm - 150mm (PN16), 200mm (PN12)
84	Pipe (GRP)	Flowtite South Africa (Pty)Ltd	Flowtite GRP pipes	SANS 1748	Mark	1861/1	Flowtite GRP pipes: 300mm - 1000mm (PN6 - PN32), 1100mm - 1200mm (PN6 - PN 25), 1300mm (PN6 - PN20), 1400mm - 1500mm (PN6 - PN16), 1600mm - 1800mm (PN6 - PN10)
85	Water (Prepayment system)	Xylem Water Solutions SA	Sensus/Telbit PWC 200	SANS 1529	NRCS	1864/1	15mm
86	Tap (Mixing)(Single lever)	Meissen	Evony range	SANS 1480	Mark	1871/1	Evony range (Chrome)
87	Tap (Mixing)(Single lever)	H&C	H&C Bella range	SANS 1480	Comç	1872/1	Bella range (Chrome)
88	Tap (Mixing)(Single lever)	H&C	H&C Air range	SANS 1480	Comç	1873/1	Air range (Chrome)
89	Water meter (Rotary piston)	Inzalo Amanzi Meters	Amanzi Model 114 mech meter	SANS 1529	NRCS	1878/1	20mm plastic
90	Valve (Ball)	Inzalo Amanzi Meters	Amanzi 15mm Plastic ball valve	SANS 16135	Comç	1879/1	15mm 2-way plastic ball valve, DN20/22 butt fusion end connections or 3/4" threaded end connections, PN16 (cold water)
91	Valve (Servicing)	Sunridge Importers&Wholesalers	Bretten 15mm servicing valve	SANS 1750	Comç	1881/1	15mm CxC (PN6)
92	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Mixed Elbow med. range	SANS 1480	Comç	1885/1	Blutide Mixed Tide Elbow medical range (Chrome)
93	Tap (Mixing)(Single lever)	Brands 4 Africa	Colby range	SANS 1480	Mark	1886/1	Colby range (Chrome)
94	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Darling range	SANS 1480	Comç	1892/1	Darling range (Chrome)
95	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Mixed range	SANS 1480	Comç	1893/1	Blutide Mixed range (Chrome)
96	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Ritz range	SANS 1480	Comç	1894/1	Ritz range (Chrome)
97	Valve (Servicing)	SSM Waterconnections cc	Euro 90 series	SANS 1750	Comç	1895/1	AVE02 (1/2" x 1/2") / AVE03 (3/4" x 1/2"), threaded (Chrome)
98	Water (Prepayment system)	Inzalo Utility Systems	Aquaflow Model 9015	SANS 1529	NRCS	1897/1	Aquaflow 15mm and 20mm prepayment meter, model 9105
99	Water (Prepayment system)	Inzalo Utility Systems	Aquaflow Model 9013	SANS 1529	NRCS	1898/1	Aquaflow 15mm and 20mm prepayment meter, model 9013

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
100	Pipe and Fitting (System)	Standard Hidraulica SA	Henco MLP press system	SANS 21003	Comç	1899/1	Henco MLP system with PVDF press fittings, 16 - 63mm class 2/10, TH clamp (DN14 - 26), BE clamp (DN14 - 90)
101	Coupling (Mechanical)	Klinger (Pty) Ltd	Klinger metallic couplings	SANS 1808-2	Comç	1900/1	50mm - 300mm PN16, galvanized grade 8.8 bolts and nuts
102	Tap (Mixing)(Single lever)	International Tap Distributors	Tivoli Trento range	SANS 1480	Comç	1903/1	Trento range (Chrome)
103	Tap (Mixing)(Single lever)	International Tap Distributors	Tivoli Acquaviva range	SANS 1480	Comç	1905/1	Acquaviva range (Chrome)
104	Tap (Various)	International Tap Distributors	Amalfi Rubellite range	SANS 226	Mark	1906/1	Rubellite range (Chrome)
105	Tap (Mixing)(Single lever)	International Tap Distributors	Amalfi Timbavati range	SANS 1480	Comç	1907/1	Timbavati range (Chrome)
106	Tap (Mixing)(Single lever)	International Tap Distributors	Amalfi Umgeni range	SANS 1480	Comç	1908/1	Umgeni range (Chrome)
107	Tap (Mixing)(Single lever)	International Tap Distributors	Amalfi Jasper range	SANS 1480	Comç	1910/1	Jasper range (Chrome)
108	Tap (Mixing)(Single lever)	International Tap Distributors	Amalfi Komati range	SANS 1480	Comç	1911/1	Komati range (Chrome, black and matt gold finish)
109	Tap (Various)	Brands 4 Africa	Brands 4 Africa Pilano range	SANS 226	Mark	1913/1	Pilano range (Chrome)
110	Tap (Various)	Vortex Sanitaryware (Pty)Ltd	Blutide Pine range	SANS 226	Comç	1914/1	Pine range, Class 2 (Chrome)
111	Tap (Various)	Vortex Sanitaryware (Pty)Ltd	Blutide Palm range	SANS 226	Comç	1915/1	Palm screw down tap range (Chrome)
112	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Franke Serenus range	SANS 1480	Mark	1922/1	Serenus bath and basin mixer, concealed bath and basin mixer (Chrome)
113	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Franke Aspera range	SANS 1480	Mark	1923/1	Aspera bath and basin mixer, concealed bath and shower mixer (Chrome)
114	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Saturn SS swivel mixers	SANS 1480	Comç	1924/1	Saturn Cube and Arc swivel mixers (SS)
115	Tap (Mixing)(Single lever)	Bathroom Butler (Pty) Ltd	Liquid Red Solace range	SANS 1480	Comç	1925/1	Solace range (Chrome)
116	Tap (Mixing)(Single lever)	Bathroom Butler (Pty) Ltd	Liquid Red Valour range	SANS 1480	Comç	1926/1	Valour range (Chrome)
117	Tap (Various)	Brands 4 Africa	Brands 4 Africa Dalby range	SANS 226	Mark	1931/1	Dalby range (Chrome)
118	Tap (Mixing)(Single lever)	Brands 4 Africa	Ballaugh range	SANS 1480	Mark	1932/1	Ballaugh range (Chrome)
119	Tap (Various)	Sibo Trading	Meir in-wall jumper valve tap	SANS 226	Comç	1934/1	Jumper valve tap set (MW08JL, MP13 (Chrome, Matt black, Brushed Nickel, Champagne, Gunmetal,
120	Tap (Various)	Sibo Trading	Meir in-wall 1/4 turn tap set	SANS 226	Comç	1935/1	15mm in-wall 1/4 turn tap set (MW11, MP13) (Chrome, Matt black, Brushed Nickel, Champagne, Gunmeta
121	Tap (Various)	Sunridge Importers&Wholesalers	Borras Traditional range	SANS 226	Comç	1936/1	Traditional range, Class 2 (Chrome)
122	Tap (Various)	Sunridge Importers&Wholesalers	Borras Modern range	SANS 226	Comç	1937/1	Modern range, Class 2 (Chrome)
123	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Looped range	SANS 1480	Comç	1938/1	Looped range (Chrome)
124	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Solid range	SANS 1480	Comç	1939/1	Solid range (Chrome)
125	Tap (Various)	Sunridge Importers&Wholesalers	Borras Classic range	SANS 226	Comç	1940/1	Classic range, Class 2 (Chrome)
126	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Madrid MIL range	SANS 1480	Comç	1941/1	Madrid MIL range (Chrome)
127	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Pamploma PEK	SANS 1480	Comç	1942/1	Pamploma PEK range (Chrome & Black)
128	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Catalonia CAT	SANS 1480	Comç	1943/1	Catalonia CAT range (Chrome & Black)
129	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Granada GIR range	SANS 1480	Comç	1944/1	Granada GIR range (Chrome & Black)
130	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Borras Almera ATL range	SANS 1480	Comç	1945/1	Almera ATL range (Chrome & Black)
131	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Franke Highline Swivel SL tap	SANS 1480	Comç	1949/1	Highline Swivel SL mixer (Chrome)
132	Tap (Various)	Brands 4 Africa	Brands 4 Africa Tommi range	SANS 226	Mark	1952/1	Tommi range (Chrome)
133	Tap (Various)	Plumblink (SA) Pty Ltd	Plumline brass bib tap	SANS 226	Mark	1953/1	Plumline garden bib tap: 15mm, 20mm (Brass)

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
134	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Franke Enix range	SANS 1480	Mark	1956/1	Enix square swivel sink mixer (Chrome)
135	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Cascade Prof swivel sink mixer	SANS 1480	Mark	1957/1	Cascade Professional swivel sink mixer (Chrome)
136	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Highrise swivel sink mixer	SANS 1480	Mark	1959/1	Highrise swivel sink mixer (Chrome & Matt Black)
137	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Franke Lucido range	SANS 1480	Mark	1960/1	Lucido swivel sink mixer (Chrome)
138	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Franke Projectline range	SANS 1480	Mark	1961/1	Projectline sink mixer (Chrome)
139	Tap (Mixing)(Single lever)	Meissen	Tresar range	SANS 1480	Mark	1962/1	Tresar range (Chrome)
140	Tap (Mixing)(Single lever)	Meissen	Alvar range	SANS 1480	Mark	1963/1	Alvar range (Chrome)
141	Tap (Mixing)(Single lever)	Plumblink (SA) Pty Ltd	Plumline Lyra range	SANS 1480	Mark	1964/1	Plumline Lyra range (Chrome)
142	Tap (Mixing)(Single lever)	Plumblink (SA) Pty Ltd	Plumline Cygnus range	SANS 1480	Mark	1965/1	Plumline Cygnus range (Chrome)
143	Tap (Mixing)(Single lever)	Brands 4 Africa	Aspen Lite range	SANS 1480	Mark	1966/1	Aspen Lite range (Chrome)
144	Tap (Various)	Plumblink (SA) Pty Ltd	Plumline Hydrus range	SANS 226	Mark	1967/1	Hydrus range (Chrome)
145	Tap (Medical)	Plumblink (SA) Pty Ltd	Plumline Clinix medical range	SANS 226	Mark	1968/1	Clinix medical range (Chrome)
146	Tap (Various)	Vornado Manufacturing Pty Ltd	Vornado brass bib tap	SANS 226	Mark	1969/1	Vornado garden bib tap: 15mm, 20mm (Brass)
147	Tap (Various)	Brands 4 Africa	Brands 4 Africa Colonial range	SANS 226	Mark	1970/1	Colonial range (Chrome)
148	Valve (Float)	GD Fittings cc	GD Float valve	SANS 752	Mark	1972/1	15mm side (GD3) and bottom entry (GD049)
149	Valve (Flush)(Cistern)	GD Fittings cc	GD flush valve	SANS 1509	Mark	1973/1	50mm flush valve (GD107)
150	Tap (Mixing)(Single lever)	Meissen	Onex medical range	SANS 1480	Mark	1975/1	Onex medical range (Chrome)
151	Tap (Various)	H&C	H&C Divo range	SANS 226	Comç	1976/1	Divo range (Chrome)
152	Tap (Various)	H&C	H&C Art range	SANS 226	Comç	1977/1	Art range (Chrome)
153	Tap (Various)	H&C	H&C Breo range	SANS 226	Comç	1978/1	Breo range (Chrome)
154	Tap (Mixing)(Single lever)	Hansgrohe SA	Axor One	SANS 1480	Comç	1979/1	AXOR One basin mixer (product 48002003) (Chrome)
155	Tap (Mixing)(Single lever)	Hansgrohe SA	Hansgrohe Finoris	SANS 1480	Comç	1981/1	Finoris basin, concealed shower and bath mixers (Chrome, Matt White, Matt Black)
156	Tap (Mixing)(Single lever)	Hansgrohe SA	Vivenis range	SANS 1480	Comç	1982/1	Vivenis basin, concealed shower and bath mixers (Chrome, Matt White, Matt Black)
157	Coupling (Mechanical)	Klamflex Pipe Couplings	Klamflex Ranger pipe couplings	SANS 1808-2	Mark	1990/1	50mm - 300mm PN16, ductile iron body with SS bolts and nuts
158	Tap (Mixing)(Single lever)	International Tap Distributors	Amalfi Letaba range	SANS 1480	Comç	1994/1	Bath, basin shower mixers (Chrome)
159	Fitting (Brass)(Compression)	Plumblink (SA) Pty Ltd	Brassman compression fittings	SANS 1067/1	Mark	1995/1	15mm - 54mm, Type A (straight, tee, elbow)
160	Cistern (Concealed)(Flushing)	Sunridge Importers&Wholesalers	RIIFO concealed cistern	SANS 821	Comç	1996/1	RIIFO 6 litre concealed front flush cistern with RIIFO 15mm LP side entry float valve and 50mm RIIFO dual flush valve
161	Valve (Ball)	Plumblink (SA) Pty Ltd	Genebre ball valve	SANS 1056/3	Comç	1997/1	Genebre female/female copper alloy ball valves (not fire safe), 15mm - 50mm, PN20
162	Connector (Flexible SS)	Lincor Holdings (Pty) Ltd	Hydro-M SS flexible connector	SANS 1808-5	Comç	1998/1	15mmx15mm SS female flexible connector: 200mm, 350mm, 450mm, 600mm: PN15
163	Connector (Flexible SS)	Lincor Holdings (Pty) Ltd	Machtig SS flexible connector	SANS 1808-5	Comç	1999/1	15mmx15mm SS female flexible connector: 200mm, 350mm, 450mm, 600mm: PN15
164	Connector (Flexible SS)	Plumblink (SA) Pty Ltd	Plumline SS flexible connector	SANS 1808-5	Comç	2000/1	15mmx15mm SS female flexible connector: 200mm, 350mm, 450mm, 600mm: PN15
165	Connector (Flexible SS)	Brands 4 Africa	Xuarra SS flexible connector	SANS 1808-5	Comç	2001/1	15mmx15mm SS female flexible connector: 200mm, 350mm, 450mm, 600mm: PN15
166	Water meter (Woltman)	Hibred International cc	Hibred Woltman WP (B/C)	SANS 1529	NRCS	2008/1	WP Woltman meters, 40mm-100mm, Class B and Class C, PN16
167	Water meter (Woltman)	Hibred International cc	Hibred Woltman WP-HD	SANS 1529	NRCS	2009/1	Model WP-HD Woltman meters, 50mm - 100mm, Class C, PN16
168	Coupling (Mechanical)	Cascade Sales and Distribution	Cascade pipe couplings	SANS 1808-2	Comç	2022/1	80mm - 400mm dia. metallic compression pipe couplings, PN16

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
169	Coupling (Mechanical)	Cascade Sales and Distribution	Cascade flange adaptors	SANS 1808-2	Comç	2023/1	80mm - 400mm dia. metallic compression pipe couplings with flange adaptors, PN16
170	Tap (Mixing)(Single lever)	Shaya Fire (Pty Ltd	Elizabeth range	SANS 1480	Comç	2029/1	Elizabeth range (Chrome)
171	Cistern (Concealed)(Flushing)	Valsir S.p.A.	Valsir concealed cistern	SANS 821	Comç	2030/1	Valsir 6l concealed front flush cistern with Valsir 15mm LP float valve and Valsir 45mm dual flush valve
172	Tap (Various)	Lixil Africa (Pty) Ltd	Stella range	SANS 226	Comç	2031/1	Stella range, Class 2 (Chrome)
173	Tap (Various)	Lixil Africa (Pty) Ltd	Star range	SANS 226/2	Comç	2032/1	Star range (Chrome)
174	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Snug concealed mixer	SANS 1480	Comç	2033/1	Snug concealed bath/shower mixer (SN-956), concealed diverter (SN-961) (Chrome)
175	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Pause concealed mixer	SANS 1480	Comç	2034/1	Pause concealed bath/shower (PS-956) and concealed diverter (PS-961) single lever mixers (Chrome)
176	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Den concealed mixer	SANS 1480	Comç	2035/1	Den concealed bath/shower (DN-956) and concealed diverter (DN-961) single lever mixers (Chrome)
177	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Focus range	SANS 1480	Comç	2036/1	Focus range (Chrome)
178	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	BauEdge basin mixer	SANS 1480	Comç	2037/1	BauEdge single lever basin mixer (32858001) (Chrome)
179	Connector (Flexible SS)	Sunridge Importers&Wholesalers	RIIFO flexible connector	SANS 1808-5	Comç	2038/1	1/2"x1/2" (FxF, FxM), 200mm-600mm length; 1/2"xM10 (FxF), 300mm length, PN15
180	Tap (Metering)	Sunridge Importers&Wholesalers	Borras metering tap	SANS 1808-9	Comç	2039/1	15mm pillar, sink and bib metering taps (without temperature control) (Chrome)
181	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Sable range	SANS 1480	Comç	2040/1	Sable range (SS)
182	Tap (electronic)	Lixil Africa (Pty) Ltd	Cobratron electronic tap	SANS 1808-35	Comç	2041/1	Cobratron 15mm pillar type electronic tap (Chrome)
183	Tap (electronic)	Lixil Africa (Pty) Ltd	Cobratron electronic spout	SANS 1808-35	Comç	2042/1	Cobratron 15mm electronic spout (Chrome)
184	Valve (Ball)	GIO Plumbing	ISM ball valve	SANS 1056-3	Comç	2043/1	Not fire safe copper alloy ball valves (15mm, 22mm) PN25, CxC
185	Valve (Servicing)	GIO Plumbing	ISM servicing valve	SANS 1750	Comç	2044/1	15mm, CxC
186	Valve (Servicing)	Jacques Giordano Industries	ISM servicing valve (angle)	SANS 1750	Comç	2045/1	15mm, CxM (angle valve)
187	Tap (Medical)	Plumbsave t/a H&C	H&C Medical range	SANS 226	Comç	2046/1	1/4 turn medical range, sink mixer wall type and pillar type, 15mm and 20mm (Chrome)
188	Tap (demand)	Plumbink (SA) Pty Ltd	Plumline demand taps	SANS 1808-66	Comç	2047/1	15mm demand taps (bibtap, stoptap, pillartap)
189	Cistern (Concealed)(Flushing)	Lixil Africa (Pty) Ltd	Grohe concealed cistern	SANS 821	Comç	2048/1	6 litre Grohe concealed front flush cistern with 15mm Grohe LP float valve and 40mm Grohe dual flush
190	Cistern (Concealed)(Flushing)	Lixil Africa (Pty) Ltd	Cobra concealed cistern	SANS 821	Comç	2049/1	6 litre Cobra concealed front flush cistern with 15mm Cobra HP float valve and 45mm Cobra dual flush
191	Water meter (Ultrasonic)	Kamstrup South Africa (Pty) Lt	FlowIQ2200	SANS 1529	NRCS	2050/1	FlowIQ2200 Model KWM2210, 15mm - 20mm
192	Water meter (Ultrasonic)	Kamstrup South Africa (Pty) Lt	FlowIQ3100	SANS 1529	NRCS	2051/1	Model FlowIQ3100, 32mm - 40mm Class C, 50mm - 100mm, Class B
193	Water meter (Ultrasonic)	Kamstrup South Africa (Pty) Lt	FlowIQ3200	SANS 1529	NRCS	2052/1	Model FlowIQ3200, 100mm Class C
194	Water meter (Ultrasonic)	Kamstrup South Africa (Pty) Lt	Multical 21	SANS 1529	NRCS	2053/1	Model Multical 21, 15mm - 20mm
195	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Lusso Liro C&B range	SANS 1480	Comç	2055/1	Liro range (Chrome & Black)
196	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Lusso Savio C&B range	SANS 1480	Comç	2056/1	Savio range (Chrome & Black)
197	Valve (Gate)	Lixil Africa (Pty) Ltd	Cobra gate valve	SANS 776	Comç	2057/1	Green steel handle heavy duty copper alloy gate valve, 1001 series (FxF), 1003 series (CxC), 15mm
198	Fitting (Brass)(Compression)	Maksal	Maksal compression fittings	SANS 1067/1	Mark	2058/1	15mm - 54mm, Type A (straight, tee, elbow)
199	Valve (Pressure)(Control)	Lixil Africa (Pty) Ltd	Cobra 400kPa PCV	SANS 198	Comç	2059/1	400kPa PCV, 22mm inlet/outlet, 15mm expansion control outlet
200	Tap (Medical)	Lixil Africa (Pty) Ltd	Cobra medical range	SANS 226	Comç	2060/1	Medical range, 15mm bib tap, pillar tap, sink mixer (Chrome)
201	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Zambezi range	SANS 1480	Comç	2061/1	Zambezi range (Chrome)
202	Valve (Servicing)	Lixil Africa (Pty) Ltd	Cobra servicing valve	SANS 1750	Comç	2062/1	15mm

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
203	Connector (Flexible SS)	H&C	Milano Flexible connector	SANS 1808-5	Comç	2063/1	Milano SS flexible connectors, 1/2"x1/2" (FxF.), 200mm, 350mm, 450mm, 600mm lengths, PN15
204	Tap (Mixing)(Single lever)	Hansgrohe SA	Axor Starck range	SANS 1480	Mark	2064/1	Axor Starck range (Chrome), excluding sink mixers
205	Tap (Mixing)(Single lever)	Hansgrohe SA	Axor MyEdition range	SANS 1480	Mark	2065/1	MyEdition range (Chrome), excluding sink mixers
206	Tap (Mixing)(Single lever)	Hansgrohe SA	Axor Citterio range	SANS 1480	Mark	2066/1	Axor Citterio range (Chrome), excluding sink mixers
207	Tap (Mixing)(Single lever)	FIMA Africa	Flo range	SANS 1480	Comç	2067/1	Flo range (Chrome, brushed nickel, black chrome, brushed black chrome, champagne, brushed champagne, amber bronze, brushed amber bronze, black matt, white matt)
208	Tap (Mixing)(Single lever)	FIMA Africa	FIMA Serie 22 range	SANS 1480	Comç	2068/1	Serie 22 range (Chrome, brushed nickel, black chrome, brushed black chrome, champagne, brushed champagne, amber bronze, brushed amber bronze, black matt, white matt)
209	Pipe and Fitting (System)[ML]	Plumbink (SA) Pty Ltd	Plumline Brassman MLP system	SANS 21003	Comç	2069/1	Plumline Brassman MLP system (Zhejiang Mingshi Xingxin HVAC Technology PEX pipes and DZR compression fittings with pipe inserts), 15mm - 22mm, Class 2/10
210	Tap (Various)	Plumbink (SA) Pty Ltd	Plumline Moderna range	SANS 226	Mark	2070/1	Moderna range (Chrome)
211	Tap (Various)	Plumbink (SA) Pty Ltd	Plumline Tudora range	SANS 226	Mark	2071/1	Tudora range (Chrome)
212	Tap (Various)	Build It	Build It Bold range	SANS 226	Mark	2072/1	Bold range (Chrome)
213	Tap (Mixing)(Single lever)	Plumbink (SA) Pty Ltd	Plumline Mensa range	SANS 1480	Mark	2073/1	Plumline Mensa range (Matt Black)
214	Tap (Mixing)(Single lever)	Plumbink (SA) Pty Ltd	Plumline Corvus range	SANS 1480	Mark	2074/1	Plumline Corvus range (Chrome)
215	Fitting (Brass)(Compression)	Brands 4 Africa	Titan compression fittings	SANS 1067/2	Mark	2075/1	15mm - 54mm, Type A (CxC, CxM, CxF), (straight, tee, elbow)
216	Fitting (Compression)(Plastic)	Plaspro Manufacturing (Pty)Ltd	Uniflow compression fittings	SANS 17885	Comç	2076/1	16mm - 65mm (PN16), 75mm - 110mm (PN10) PP-R plastic fittings for use with PE100 pipe
217	Tap (Mixing)(Single lever)	Duravit South Africa	Duravit D-Neo mixers	SANS 1480	Comç	2077/1	D-Neo basin and, concealed Bath/Shower diverter mixer (Chrome)
218	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Neo SS range	SANS 1480	Comç	2078/1	Neo SS range (Chrome, Brushed Brass, Black, Gunmetal, SS)
219	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	BauFlow 2-hole mixer	SANS 1480	Comç	2079/1	BauFlow two-hole single lever basin mixer (20287000) (Chrome)
220	Cistern (Concealed)(Flushing)	Geberit Southern Africa	Geberit concealed cistern	SANS 821	Mark	2080/1	Sigma 6 litre low level concealed cistern with Geberit 15mm Type 380 HP/LP float valve and Geberit 40mm Type 208 dual flush valve
221	Valve (Float)	Geberit Southern Africa	Geberit float valve	SANS 752	Mark	2081/1	15mm Type 380 HP/LP side entry
222	Valve (Dual flush)	Geberit Southern Africa	Geberit dual flush valve	SANS 1509	Mark	2082/1	40mm Type 208 dual flush valve
223	Tap (Mixing)(Single lever)	International Tap Distributors	Ferrara range	SANS 1480	Comç	2083/1	Ferrara range (SS)
224	Tap (Mixing)(Single lever)	International Tap Distributors	Amalfi Zimbani range	SANS 1480	Comç	2084/1	Amalfi Zimbani range (SS)
225	Pipe and Fitting (System)	Plaspro Manufacturing (Pty)Ltd	Uni-twist PP piping system	SANS 15874	Comç	2085/1	Uni-Twist Monogold PP piping system for hot and cold water for use within buildings, Uni-Twist Monogold PP-R pipes and Uni-Twist PP-R push fit compression fittings, 15mm - 22mm, Class 2/8
226	Tap (Mixing)(Single lever)	Hansgrohe SA	Talis range	SANS 1480	Mark	2086/1	Talis range (excluding sink mixers) (Chrome)
227	Tap (Mixing)(Single lever)	FIMA Africa	Spillo Up range	SANS 1480	Comç	2087/1	Spillo Up range (Chrome, brushed nickel, black chrome, brushed black chrome, champagne, brushed champagne, amber bronze, brushed amber bronze, black matt, white matt)
228	Tap (Mixing)(Single lever)	FIMA Africa	Snap range	SANS 1480	Comç	2088/1	Snap range (Chrome, brushed nickel, black chrome, brushed black chrome, champagne, brushed champagne, amber bronze, brushed amber bronze, black matt, white matt)
229	Water meter (Rotary piston)	SA Metering Solutions (Pty)Ltd	Wet Water Distribution: LXHP	SANS 1529	NRCS	2089/1	15mm Wet Water Distribution Model LXHP (plastic), Class C PN16
230	Water meter (Woltman)	SA Metering Solutions (Pty)Ltd	Youixin LXLCE2 series (50-100)	SANS 1529	NRCS	2090/1	Youixin Models LXLC-50E2 (50mm), LXLC-80E2 (80mm), LXLC-100E2 (100mm), Class B PN16
231	Water meter (Woltman)	SA Metering Solutions (Pty)Ltd	Youixin LXLC-40E2	SANS 1529	NRCS	2091/1	Youixin Models LXLC-40E2 (40mm), Class B PN16
232	Water meter (Multi-jet)	SA Metering Solutions (Pty)Ltd	Ningbo Haishu multijet meters	SANS 1529	NRCS	2092/1	Ningbo Haishu Yongzhou Models LXSG-40E2 (40mm brass) and Ningbo Haishu Yongzhou Models LXSG-40P2 (40mm plastic), Class B PN16
233	Water meter (Woltman)	SA Metering Solutions (Pty)Ltd	Ningbo WP-SDC Plus series	SANS 1529	NRCS	2093/1	Ningbo Model WP-SDC Plus 50mm - 100mm, Class C, PN16
234	Tap (Mixing)(Single lever)	International Tap Distributors	Anelia range	SANS 1480	Comç	2094/1	Anelia range (Chrome)

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
235	Tap (Mixing)(Single lever)	International Tap Distributors	Tivoli Orta range	SANS 1480	Comç	2095/1	Bath, basin, shower mixers (Chrome)
236	Tap (Various)	Lixil Africa (Pty) Ltd	Star Heavy pattern range	SANS 226	Comç	2096/1	Star Heavy pattern range, Class 2 (Chrome)
237	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Seine range	SANS 1480	Comç	2097/1	Seine bath, basin and shower mixer (Gun grey & Brushed nickel & Brushed gold)
238	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Bauedge range	SANS 1480	Comç	2098/1	Bauedge sink and concealed bath/shower mixer (Chrome)
239	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Bauflow bath/shower mixer	SANS 1480	Comç	2099/1	Bauflow concealed bath/shower mixer (Chrome)
240	Tap (Various)	Lixil Africa (Pty) Ltd	Roma range	SANS 226	Comç	2100/1	Roma range, Class 2 (Chrome)
241	Tap (Various)	Lixil Africa (Pty) Ltd	Metsi range	SANS 226	Comç	2101/1	Metzi range, Class 2 (Chrome)
242	Valve (Servicing)	Sunridge Africa	Bretten MxF servicing valve	SANS 1750	Comç	2102/1	15mm MxF (Chrome)
243	Valve (Servicing)	Sunridge Africa	Bretten 1/4 turn serv. valve	SANS 1750	Comç	2103/1	15mm, 1/4 turn MxM (Chrome)
244	Valve (Servicing)	Sunridge Africa	Bretten MxM servicing valve	SANS 1750	Comç	2104/1	15mm MxM (Chrome)
245	Tap (Mixing)(Single lever)	Bathroom Bizarre	Velo Sport	SANS 1480	Comç	2105/1	Sink, bath/shower, basin (Chrome & Matt Black & SS)
246	Tap (Mixing)(Single lever)	Franke South Africa (Pty) Ltd	Saturn swivel mixers	SANS 1480	Comç	2106/1	Saturn Profession and Saturn Retractable swivel mixers (Chrome)
247	Water meter (Electromagnetic)	Xylem Water Solutions SA	Sensus iPERL series	SANS 1529	NRCS	2107/1	Sensus iPERL 15mm - 40mm, Class C, PN16
248	Tap (Mixing)(Single lever)	Meissen	Vita range	SANS 1480	Mark	2108/1	Vita range (Chrome, Double black, Satin brass, Graphite)
249	Tap (Mixing)(Single lever)	Bathroom Bizarre	Didi IQ Advance range	SANS 1480	Comç	2109/1	Didi IQ Advance range (Chrome)
250	Tap (Mixing)(Single lever)	Bathroom Bizarre	Velo IQ Eco mixers	SANS 1480	Comç	2110/1	Velo IQ Eco bath and basin mixers (Chrome)
251	Tap (Mixing)(Single lever)	Bathroom Bizarre	Velo IQ Advance basin mixer	SANS 1480	Comç	2111/1	Velo IQ Advance basin mixer (Chrome)
252	Tap (Mixing)(Single lever)	Bathroom Bizarre	Velo IQ Plus range	SANS 1480	Comç	2112/1	Velo IQ Plus range (Chrome and Matt black)
253	Tap (Mixing)(Single lever)	Hansgrohe SA	Tecturis S range	SANS 1480	Comç	2113/1	Basin, two hole concealed basin and freestanding bath mixers (Chrome, Matt Black, Matt White, Brushed Bronze, Brushed Nickel)
254	Tap (Mixing)(Single lever)	Hansgrohe SA	Tecturis E range	SANS 1480	Comç	2114/1	Tecturis E: Basin, two hole concealed basin and freestanding bath mixers (Chrome, Matt Black, Matt White, Brushed Bronze, Brushed Nickel)
255	Water (Prepayment system)	Inzalo Utility Systems	Aquaflow LXC ultrasonic meter	SANS 1529	NRCS	2115/1	Aquaflow 15mm and 20mm in-line ultrasonic prepayment water meters, Model LXC
256	Tap (Mixing)(Single lever)	Classic Trading Bathrooms	Gessi Cesello basin mixer	SANS 1480	Comç	2116/1	Gessi Cesello steel brushed rised basin mixer (SS)
257	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Generico Avila range	SAND 1480	Comç	2117/1	Generico Avila range (SS, Silver, Black, Gold)
258	Tap (Medical)	Sunridge Importers&Wholesalers	Borras Medico mixers	SANS 226	Comç	2118/1	1/4 turn Medico sink and pillar mixers (Chrome)
259	Fitting (Plastic)	Davis & Deale	Davis and Deale PP-R fittings	SANS 17885	Comç	2119/1	PP-R plastic fittings: 20mm compression x 3/4" male threaded straight fitting (PN16) and 20mm compression x 20mm fusion socket elbow fitting (PN16), for use with PE100 polyethylene pressure pipes
260	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Indulge sink mixer	SANS 1480	Comç	2120/1	INDULGE Pull-down sink mixer (Matt Chrome, Matt Black)
261	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Refresh sink mixer	SANS 1480	Comç	2121/1	REFRESH Sink mixer (Chrome, Matt Black)
262	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Relish sink mixer	SANS 1480	Comç	2122/1	RELISH Sink mixer (Matt Chrome, Matt Black)
263	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Savour sink mixer	SANS 1480	Comç	2123/1	SAVOUR Sink mixer (Matt Chrome, Matt Black)
264	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Seine sink mixer	SANS 1480	Comç	2124/1	SEINE Pull-out sink mixer (Chrome, Matt Black)
265	Tap (Mixing)(Single lever)	Lixil Africa (Pty) Ltd	Eurosmart mixers	SANS 1480	Comç	2125/1	EUROSMART Basin, sink and undertile bath/shower mixers (Chrome)
266	Tap (Medical)	Lixil Africa (Pty) Ltd	Medical range	SANS 226	Comç	2126/1	MEDICAL heavy pattern range, Class 2 (Chrome)
267	Tap (Various)	Aquarius Imports (Pty) Ltd	Series 100	SANS 226	Comç	2128/1	Series 100 freestanding ceramic head part quarter turn bath tap (product 100 1162), Class 2 (Chrome)

JASWIC: ACCEPTED WATER COMPONENTS WORKING LIST

Document printed by Trevor on 5/02/2025 at 16:39

Line	Product description	Applicant	Catalog reference	Specification	Compliance	Serial	Special conditions
268	Tap (Various)	Aquarius Imports (Pty) Ltd	Series 250	SANS 226	Comç	2129/1	Series 250 ceramic head part quarter turn basin mixer (product 250 1500), concealed stop valve (product 250 45 Class 2 (Chrome)
269	Tap (Mixing)(Single lever)	Aquarius Imports (Pty) Ltd	Series 390	SANS 1480	Comç	2130/1	Series 390 concealed PushTronic bath/shower mixer (product 390 2221 3) (Chrome)
270	Tap (Mixing)(Single lever)	Aquarius Imports (Pty) Ltd	Series 100 SL mixers	SANS 1480	Comç	2131/1	Series 100 basin (product 100 1000), wall mounted basin (product 100 1814 3) and bath / shower mixer (product 100 2250) (Chrome)
271	Tap (Mixing)(Single lever)	Aquarius Imports (Pty) Ltd	Series 171 SL mixer	SANS 1480	Comç	2132/1	Series 171 basin mixer (product 171 1000) (Chrome)
272	Tap (Mixing)(Single lever)	Aquarius Imports (Pty) Ltd	Series 260 SL mixers	SANS 1480	Comç	2133/1	Series 260 basin mixer (product 260 1000) and bath/shower mixer (product 260 2103 3) (Chrome)
273	Tap (Mixing)(Single lever)	Aquarius Imports (Pty) Ltd	Series 340 SL mixers	SANS 1480	Comç	2134/1	Series 340 basin mixer (product 340 1000) and bath/shower mixer (product 340 2103 3) (Chrome)
274	Tap (Mixing)(Single lever)	Aquarius Imports (Pty) Ltd	Series 342 basin mixer	SAND 1480	Comç	2135/1	Series 342 basin mixer (product 342 1000) (Chrome)
275	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Silk range	SANS 1480	Comç	2136/1	SILK range (Chrome, Brushed Brass, Black, Gunmetal, Stainless steel)
276	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Satin range	SANS 1480	Comç	2137/1	SATIN range (Chrome, Brushed Brass, Black, Gunmetal, Stainless steel)
277	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Lace range	SANS 1480	Comç	2138/1	LACE range (Chrome, Brushed Brass, Black, Gunmetal, Stainless steel)
278	Pipe and Fitting (System)[ML]	Standard Hidraulica SA	Efield MLP system	SANS 21003	Comç	2139/1	MULTISTANDARD Shandong Efield PEX-b/AL/PEX-b pipes and Shandong Efield PPSU / DZR press fittings (U clamp profile) for hot and cold water inside buildings, 16mm - 32mm, Class 2/10
279	Valve (Servicing)	SSM Waterconnections cc	Econo servicing valve	SANS 1750	Comç	2140/1	AVE04 (1/2" x 1/2"), male threaded (Chrome)
280	Tap (Mixing)(Single lever)	Vortex Sanitaryware (Pty)Ltd	Blutide Bore elbow action	SANS 1480	Comç	2141/1	Bore elbow action range (Chrome)
281	Valve (Servicing)	Larson Industries	Arco servicing valve	SANS 1750	Comç	2142/1	15mm x 15mm (M) threaded servicing valve (product ARDR06AC) (Chrome)
282	Water meter (Woltman)	SA Metering Solutions (Pty)Ltd	Ningbo Model LXLC-EC	SANS 1529	NRCS	2143/1	Ningbo Yuyang Precision Parts Model LXLC-EC, 50mm - 100mm, Class C, PN16
283	Tap (Mixing)(Single lever)	Hansgrohe SA	DuoTurn S conc. basin mixer	SANS 1480	Comç	2144/1	DuoTurn S concealed basin mixer (product 75618003, 75418673) (Chrome, Matt White, Matt Black, Brushed Bronze, Brushed Nickel)
284	Tap (Mixing)(Single lever)	Hansgrohe SA	Vernis Blend SL range	SANS 1480	Comç	2145/1	Vernis Blend basin, bath and concealed basin, shower and bath mixers (Chrome, Matt Black)
285	Tap (Metering)	Sunridge Importers&Wholesalers	Metering urinal valve	SANS 1808-9	Comç	2146/1	15mm urinal metering valve (without temperature control) (Chrome)
286	Valve (Servicing)	Vortex Sanitaryware (Pty)Ltd	Blutide servicing valve	SANS 1750	Comç	2147/1	15mm x 15mm (M) threaded servicing (angle) valve (product SA00100)) (Chrome)
287	Pipe and Fitting (System)[ML]	Maksal Tubes	Maksal MLP system	SANS 21003	Comç	2148/1	PEX-b/AL/PEX-b MLP system (Pipe, DZR compression fittings and pipe inserts manufactured by Zhejiang Mingshi Xinqin Hvac Tech), for hot and cold water installations inside buildings, 15mm - 22mm, Class 2/10
288	Tap (Mixing)(Single lever)	Sunridge Importers&Wholesalers	Generico Contractors range	SANS 1480	Comç	2150/1	Generico Contractors range (Chrome)
289	Tap (Mixing)(Single lever)	H&C	H&C Kariba range	SANS 1480	Comç	2151/1	H&C Kariba bath, bath/shower, basin and sink mixers (Chrome)